



PEDIATRIC SCALDS: A Burning Issue

DO

- Set water heater temperature to no higher than 120°F/48°C, or just below the medium setting
- Create a “no kid zone” in the kitchen around stoves, ovens and hot items
- Keep hot drinks away from the edge of tables and counters
- Use a travel mug with a tight-fitting lid for all hot drinks
- Place pots and pans on the back burner with handles turned away from the edge of the stove

THE FACTS

- ✓ The average annual cost of scald injuries is \$44 million
- ✓ Over 136,000 children were seen in emergency rooms for burn injuries in 2011
- ✓ 1,100 children die each year from fire and burns



DON'T

- Leave a child unattended in the bathtub; if you must leave, take the child(ren) with you
- Allow young children to adjust the water temperature or sit near faucet handles
- Set anything hot on tabletops within reach of young children who can pull them down
- Allow appliance cords (slow-cookers, deep-fryers, coffeemakers) to dangle over the counter edge

THE FIX

If a burn injury does happen...

- 1) Cool the burn with COOL (not cold) water to stop the burning process
- 2) Remove all clothing and/or diaper from the injured area
- 3) Cover the area with a clean dry sheet or bandages
- 4) Seek medical attention



American Burn Association
www.ameriburn.org | 312.642.9260

This material is for information purposes only. It is not a substitute for professional medical advice, diagnosis, or treatment, which you should seek from your physician.
The ABA does not endorse any specific product, service or treatment.

abf Arizona Burn Foundation
Prevent. Survive. Thrive.